

MARTILLOS y MARTILLETES DE AGUJAS



F-25CN
19 agujas de 3 mm



F-25



FCH-20-1F



FNS-2-1F
19 agujas de 3 mm



FCH-25-1F



FNS-2P-1F
19 agujas de 3 mm

MODELO	CINCEL	AGUJAS	Ø PISTÓN	CARRERA	Nº GOLPES	↔	KG	CONSUMO	MANGUERA	P.V.P.	TIPO
FCH-20-1F	<input type="radio"/>	11	--	20	16	12000	201	1,0	140	8	● ●
FCH-25-1F	<input type="checkbox"/>	12,7	--	25	20	8000	220	1,5	180	10	● ● ●
F-25	<input type="checkbox"/>	12,6	--	25	22	4000	190	1,5	300	10	●
F-25CN	--	3 mm	25	22	4000	410	2,6	200	10		●
FNS-2-1F	--	3 mm	25	7	8000	347	1,9	180	10		● ● ●
FNS-2P-1F	--	3 mm	25	7	8000	309	2,5	180	10		● ● ●

12,7 mm FCH-25

F-2-3		34 x 180	
F-3-3		34 x 180	

12,7 mm F-25, F-25CN

F25-2		19 x 180	
F25-3		38 x 180	

F-25CN, FNS-2

RH63757		3 x 180	
---------	--	---------	--

11 mm FCH-20

G-2-1		9 x 130	
-------	--	---------	--


MARTILLOS



⬡ FRH-3-1



○ FRH-6-2



⬡ FRH-6-1



○ FRH-6A-2



⬡ FRH-6A-1



⬡ 840KH

MODELO	CINCEL TIPO	C. REMACHE ALU-ACER	Ø PISTÓN	CARRERA	Nº GOLPES	↔	KG	CONSUMO	MANGUERA	P.V.P.	TIPO
840KH	⬡ 10	6,4 - 5	19	45	2500	170	1,5	300	10		●
FRH-3-1	⬡ 8,7	3,2 - 2,5	14,3	38	3600	136	1,1	350	10		●●●
FRH-6-1	⬡ 8,7	6,4 - 5	12,7	100	1800	197	1,4	350	10		●●●
FRH-6A-1	⬡ 8,7	6,4 - 5	20	45	3000	193	1,5	400	10		●●●
FRH-6-2	○ 10,2	6,4 - 5	12,7	100	1800	197	1,4	350	10		●●●
FRH-6A-2	○ 10,2	6,4 - 5	20	45	3000	193	1,5	400	10		●●●

840KH



MODELO	P.V.P.
RCR	

FRH: 3-1, 6-1, 6-2



MODELO	P.V.P.
H19715	

FRH: 6A-1, 6A-2



MODELO	P.V.P.
H24715	

840KH



MODELO	P.V.P.
R41012	

FRH: 3-1, 6-1, 6-2



MODELO	P.V.P.
H19719	

FRH: 6A-1, 6A-2



MODELO	P.V.P.
H24719	


MARTILLOS y PISONES



FC-01




FC-01-3



FC-1Z



FC-1Z-1



FC-2Z



FC-4Z-1



FC-4Z

MODELO	CINCEL	PISTÓN	CARRERA	Nº GOLPES	↔	KG	CONSUMO	MANGUERA	R	P.V.P.	TIPO
FC-01	⬡ 12	20	45	3000	243	2,6	400	10	1/4		●
FC-1Z	⬡ 14,8	28,5	25	3000	300	5,0	600	13	3/8		●
FC-2Z	⬡ 14,8	28,5	51	2500	342	5,7	600	13	3/8		●
FC-4Z	⬡ 14,8	28,5	102	1700	424	6,8	650	13	3/8		●
FC-01-3	⬡ 12	20	45	3000	243	2,6	400	10	1/4		● ●
FC-1Z-1	⬡ 14,8	28,5	25	3000	300	5,0	600	13	3/8		● ●
FC-4Z-1	⬡ 14,8	28,5	102	1700	424	6,8	650	13	3/8		● ●



FR-0





FR-1

MODELO	Ø MAZA	Ø PISTÓN	CARRERA	Nº GOLPES	↔	KG	CONSUMO	MANGUERA	R	P.V.P.	TIPO
FR-00	40	18	50	1800	440	1,5	400	10	3/8		● ●
FR-0	52	22	65	1000	520	3,0	500	10	3/8		● ●
FR-0L	52	22	65	1000	1050	4,0	500	10	3/8		● ●
FR-1	67	25	100	800	1220	7,0	700	13	1/2		● ●
FR-2	75	32	127	700	1300	10,0	800	13	1/2		● ●

CINCELES y AGUJAS

⊕ 8,7 mm FRH-3-1, FRH-6-1 FRH-6A-1

MODELO	TIPO	AxL	P.V.P.
WA-807H		16x155	
WA-808H		15x170	
WA-809H		22x170	
WA-812H		170	
WA-810H		18x170	
WA-810HA		32x170	
WA-813H		17x170	
WA-815H		19x150	

○ 10,20 mm FRH-6-2, FRH-6A-2

MODELO	TIPO	AxL	P.V.P.
WA-807		16x155	
WA-808		15x170	
WA-809		22x170	
WA-810		20x178	
WA-815		150	

⊕ 10 mm 840KH

MODELO	TIPO	AxL	P.V.P.
84671H		16X140	
84677H		22X165	
84663H		140	
84662H		20X140	
84662HA		33X140	
84675H		20X165	

⊕ 12 mm FC-01, FC-01-3

MODELO	TIPO	AxL	P.V.P.
WJB-10P		250	
WJB-10F		16X250	
WJB-10SL		25X250	

⊕ 14,8 mm FC-1Z, FC-2Z, FC-4Z

MODELO	TIPO	AxL	P.V.P.
WH-10P		250	
WH-10F		16X250	
WH-10SL		25X250	